Author Index

ABRAHAM D., MUIR H. & OLSEN I. Adhesion of T- and B-lymphocytes to fibroblasts in tissue culture, 385

ABRASS C.K. Measurement of the rates of basal pinocytosis of horseradish peroxidase and internalization of heat-aggregated IgG by macrophages from normal and streptozotocin-induced diabetic rats, 411

AKE SERUSHAGO B. *see* HANDA T.

ALLAVENA P. *see* PIRELLI A.

ANDERS R.F. *see* LEW A.M.

ANDERSSON M. *see* HOLMDAHL R.

ANTHONY L.S.D., JAMES R.F.L., MAUDSLEY D.J. & KONGSHAVN P.A.L. Inhibition of expression of cell-mediated immunity by a cell surface-binding antibody directed against T-cell helper factors, 273

APPLETON J.A., SCHAIN L.R. & MCGREGOR D.D. Rapid expulsion of *Trichinella spiralis* in suckling rats: mediation by monoclonal antibodies, 487

ARMITAGE R.J. *see* GOFF L.K.

ARVIEUX J., YSSEL H. & COLOMB M.G. Antigen-bound C3b and C4b enhance antigen-presenting cell function in activation of human T-cell clones, 229

AUSTEN K.F. *see* JANUSZ M.J.

AWWAD M. & NORTH R.J. Cyclophosphamide (Cy)-facilitated adoptive immunotherapy of a Cy-resistant tumour. Evidence that Cy permits the expression of adoptive T-cell mediated immunity by removing suppressor T cells rather than by reducing tumour burden, 87

BABA T., MASUMOTO K., NISHIDA S., KAJIKAWA T. & MITSUI M. Harderian gland dependency of immunoglobulin A production in the lacrimal fluid of chicken, 67

BACON P.A. *see* SALMON M.

BAGASRA O., HOWEEDY A. & KAJDACSY-BALLA A. Macrophage function in chronic experimental alcoholism. I. Modulation of surface receptors and phagocytosis, 405

BAKER D. *see* KRAAL G.

BAKHOUT B.A. *see* VAN DER HEIJDEN P.J.

BALDWIN R.W. *see* BYERS V.S.

BARTHÉLÉMY H. *see* LANDRY D.

BAZIN H. *see* CHASSOUX D.M.

BECKMAN I., XIAONING X. & BRADLEY J. Specific inhibition of OKT3-driven T-cell mitogenesis by an anti-HLA class I monoclonal antibody, 373

BEN-CHETRIT E., EILAT D. & BEN-SASSON S.A. Specific inhibition of the DNA–anti-DNA immune reaction by low molecular weight anionic compounds, 479

BENNER T. *see* VAN DEN AKKER T.W.

BEN-SASSON S.A. *see* BEN-CHETRIT E.

BEVERLEY P.C.L. *see* GOFF L.K.

BIANCHI A.T.J. *see* VAN DER HEIJDEN P.J.

BILYK N., MACKENZIE J.S., PAPADIMITRIOU J.M. & HOLT P.G. Functional studies on macrophage populations in the airways and the lung wall of SPF mice in the steady-state and during respiratory virus infection, 417

BLACKIE W. *see* HAIG D.M.

BLACKWELL J.M. *see* COOPER A.

BLACKWELL J.M. *see* KAYE P.M.

BLALOCK J.E. *see* BOST K.L.

BÖCK G. *see* PERNEGGER G.

BOLTON E.M., GRACIE J.A., O'REILLY L.A. & BRADLEY J.A. The cellular basis of the local graft-versus-host reaction in rat kidney, 285

BORYSIEWICZ L.K. *see* MASON P.D.

BOST K.L., HAHN B.H., SAAG M.S., SHAW G.M., WEIGENT D.A. & BLALOCK J.E. Individuals infected with HIV possess antibodies against IL-2, 611

BOURNE F.J. *see* NASHAR T.O.

BRADLEY J. *see* BECKMAN I.

BRADLEY J.A. *see* BOLTON E.M.

BRANDTZAEG P. *see* HALSTENSEN T.S.

BRINGS B. *see* BUJANOWSKI-WEBER J.

BROM J., KNÖLLER J., KÖLLER M. & KÖNIG W. Tumour necrosis factors modulate the affinity of the leukotriene B_4 receptor on human neutrophils, 647

BROWN D. *see* HAIG D. MCK.

BUJANOWSKI-WEBER J., KNÖLLER I., BRINGS B., PFEIL T. & KÖNIG W. Detection and characterization of IgE-binding factors (IgE-BF) within supernatants of the cell line FPMI-8866, normal human sera and sera from atopic patients, 53

BULGARINI D. *see* HABETSWALLNER D.

BURT D.S. *see* HASTINGS G.Z.

BYERS V.S. & BALDWIN R.W. Therapeutic strategies with monoclonal antibodies and immunoconjugates, 329

CAIRNS J. *see* CALLARD R.E.

CALLARD R.E., LAU Y.L., SHIELDS J.G., SMITH S.H., CAIRNS J., FLORES-ROMO L. & GORDON J. The marmoset B-lymphoblastoid cell line (B95-8) produces and responds to B-cell growth and differentiation factors: role of shed CD23 (sCD23), 379

CAMAGNA A. *see* HABETSWALLNER D.

CANTRELL D.W., COLLINS M.K.L. & CRUMPTON M.J. Autocrine regulation of T-lymphocyte proliferation: differential induction of IL-2 and IL-2 receptor, 343

CARSWELL F. State of the art: mites and human allergy, 497

CAWLEY M.I.D. *see* Moore K.

CHARTRAND C. *see* LANDRY D.

CHASSOUX D.M., LINARES-CRUZ L.G., BAZIN H. & STANISLAWSKI M. K-cell-mediated cytotoxicity induced with rat monoclonal antibodies. I. Antibodies of various isotypes differ in their ability to induce cytotoxicity mediated by rat and human effectors, 623

CHRISTMAS S.E. & MOORE M. T-cell receptor β gene rearrangements in clones derived from human $CD4^{-}8^{-}$ cells expressing natural killer cell activity, 597

CHURCH M.K. *see* REES P.H.

COHEN P.L. *see* SHORES E.W.

COHEN S.D. *see* HAIG D. MCK.

ČOLIĆ M., MATANOVIĆ D., HEGEDIŠ L. & DUJIĆ A. Immunohistochemical characterization of rat thymic non-lymphoid cells. I. Epithelial and mesenchymal components defined by monoclonal antibodies, 277

COLLINS M.K.L. *see* CANTRELL D.A.

COLOMB M.G. *see* ARVIEUX J.

COOPER A., ROSEN H. & BLACKWELL J.M. Monoclonal antibodies that recognize distinct epitopes of the macrophage type three complement receptor differ in their ability to inhibit binding of *Leishmania* promastigotes harvested at different phases of their growth cycle, 511

COOSEMANS V. & HADJI-AZIMI I. Immunoglobulin Fc receptor molecules on *Xenopus laevis* splenocytes, 641

CORNETTE J. *see* FISCHER E.

COSSETTE M. *see* LANDRY D.

CRIPPS P.J. *see* NASHAR T.O.

CROCKER P.R., HILL M. & GORDON S. Regulation of a murine macrophage haemagglutinin (sheep erythrocyte receptor) by a species-restricted serum factor, 515

CROMWELL O. *see* MAESTRELLI P.

CROMWELL O. *see* TSAI J.-J.

CROWTHER J.R. *see* MCCULLOUGH K.C.
CRUMPTON M.J. *see* CANTRELL D.A.
CZOP J.K. *see* JANUSZ M.J.

DAHA M.R. *see* MILTENBURG A.M.M.
DAVIS A.L., MCKENZIE J.L. & HART D.N.J. HLA-DA-positive leucocyte subpopulations in human skin include dendritic cells, macrophages and CD7-negative T cells, 573
DE GLOPPER-VAN DER VEER E. *see* VAN DEN AKKER T.W.
DESCHAUX P.A. *see* ROUABHIA M.
DIERICH M.P. *see* PERNEGGER G.
DIJKSTRA C.D. *see* VAN REES E.P.
DOBASHI K. *see* MURAKAMI S.
DOENHOFF M.J., MODHA J. & LAMBERTUCCI J.R. Anti-schistosome chemotherapy enhanced by antibodies specific for a parasite esterase, 507
DUDLER L. *see* MCCLURE S.
DUJIĆ A. *see* ČOLIĆ M.

EDWARDS S.J. *see* LEW A.M.
EIGENTLER A. *see* PERNEGGER G.
EILAT D. *see* BEN-CHETRIT E.
EISENBERG R.A. *see* SHORES E.W.
ERNST P.B., MAEBA J., LEE S.-I. & PARASKEVAS F. A novel mechanism for the selection of isotype-specific antibody responses: the role of intestinal T cells in the regulation of IgA synthesis by the anti-suppressor circuit, 59
ESSANI N. & FISHMAN M. Induction of EL_4 cell resistance to syngeneic macrophage-mediated lysis by protein kinase *C* ligands; effects of cultured TPA-treated target cell and protein phosphorylation, 165
EWALD S.J. *see* TAFFS R.E.

FALLON M. *see* LANDESBERG R.
FISCHER E., OUAISSI M.A., VELGE P., CORNETTE L. & KAZATCHKINE M.D. gp 58/68, a parasite component that contributes to the escape of the trypomastigote form of *T. cruzi* from damage by the human alternative complement pathway, 299
FISHMAN M. *see* ESSANI N.
FITZHARRIS P. *see* TSAI J.-J.
FLORES-ROMO L. *see* CALLARD R.E.
FUJIWARA M. *see* MATSUMOTO Y.

GARVEY E. *see* MOORE K.
GHANMI Z. *see* ROUABHIA M.
GIANNELLA G. *see* HEBETSWALLNER D.
GOFF L.K., ARMITAGE R.J. & BEVERLEY P.C.L. Characterization of two CD23 monoclonal antibodies with reactivity distinct from other antibodies within this cluster of differentiation, 213
GORDON J., GUY G.R. & MILLSUM M.J. Mitogenic stimulation of human B lymphocytes via the inositol phospholipid 'dual pathway' of signalling requires persistent activation of both second messeanger arms, 493
GORDON J. *see* CALLARD R.E.
GORDON S. *see* CROCKER P.R.
GRACIE J.A. *see* BOLTON E.M.
GRAHAM S. & SECOMBES C.J. The production of a macrophage-activating factor from rainbow trout *Salmo gairdneri* leucocytes, 293
GRAU G.E., PIGUET P.-F., GRETENER D., VESIN C. & LAMBERT P.-H. Immunopathology of thromboytopenia in experimental malaria, 501
GRAY D. Recruitment of virgin B cells into an immune response is restricted to activation outside lymphoid follicles, 73
GRETENER D. *see* GRAU G.E.
GRUDIER J. *see* SHORES E.W.
GUY G.R. *see* GORDON J.

HABETSWALLNER D., PELOSI E., BULGARINI D., CAMAGNA A., SAMOGGIA P., MONTESORO E., GIANNELLA G., LAZZARO D., ISACCHI G., TESTA U. & PESCHLE C. Activation and proliferation of normal resting human T lymphocytes in serum-free culture: role of IL-4 and IL-6, 357
HADAR R. *see* RABINOWITZ R.
HADJI-AZIMI I. *see* COOSEMANS V.
HAHN B.H. *see* BOST K.L.
HAIG D.M., BLACKIE W., HUNTLEY J., MACKELLAR A. & SMITH W.D. The generation of ovine bone marrow-derived mast cells in culture, 199
HAIG D. MCK., MCMENAMIN C., REDMOND J., BROWN D., YOUNG I.C., COHEN S.D.R. & HAPEL A.J. Rat IL-3 stimulates the growth of rat mucosal mast cells in culture, 205
HALSTENSEN T.S., MOLLNES T.E. & BRANDTZAEG P. Terminal complement complex (TCC) and S-protein (vitronectin) on follicular dendritic cells in human lymphoid tissues, 193
HAMAOKA T. *see* MURAKAMI S.
HANDA T., MITSUYAMA M., AKE SERUSHAGO B., MURAMORI K. & NOMOTO K. Co-operative effect of MCF and MAF(IFN-γ) in the protection of mice against *Listeria monocytogenes*, 427
HAPEL A.J. *see* HAIG D. MCK.
HARA Y. *see* MURAKAMI S.
HARADA N. *see* MURAKAMI S.
HART D.N.J. *see* DAVIS A.L.
HARVEY J. *see* MOORE K.
HASHIMOTO T. *see* TAMATANI T.
HASTINGS G.Z., BURT D.S. & STANWORTH D.R. A monoclonal antibody raised against a synthetic peptide representative of part of the amino acid sequence of rat immunoglobulin E detects thermally induced changes in that region of the IgE molecule, 149
HEGEDIŠ I. *see* ČOLIĆ M.
HEIN W.R. *see* MCCLURE S.
HILGER R. *see* SCHÖNFELD W.
HILL M. *see* CROCKER P.R.
HILL GASTON J.S. *see* SALMON M.
HILLIER K. *see* REES P.H.
HOBBS J.R. *see* WILLIAMSON S.A.
HOFFER M. *see* KRAAL G.
HOLMDAHL R., JANSSON L., ANDERSSON M. & LARSSON E. Immunogenetics of type II collagen autoimmunity and susceptibility to collagen arthritis, 305
HOLT P.G. *see* BILYK N.
HOROHOV D.W., STOCKS N.I. & SIEGEL J.P. Limiting-dilution analysis of human CTL differentiation. Requirement for a lymphokine-mediated differentiation signal, 119
HOSP M. *see* PERNEGGER G.
HOWEEDY A. *see* BAGASRA O.
HUGHES-JONES N.C. *see* WIENER E.
HUNTLEY J. *see* HAIG D.M.
HUNTLEY J.F. *see* MILLER H.F.P.

IGISU K. *see* KUROIWA A.
IMAMI-SHITA N. *see* LARCHE M.
INSEL R. *see* LANDESBERG R.
ISACCHI G. *see* HABETSWALLNER D.
IWASAKI H. *see* TAMATANI T.

JAMES R.F.L. *see* ANTHONY L.S.D.
JANSSON L. *see* HOLMDAHL R.
JANSZE M. *see* ZIGTERMAN G.J.W.J.
JANUSZ M.J., AUSTEN K.F. & CZOP J.K. Phagocytosis of heat-killed blastospores of *Candida albicans* by human monocyte β-glucan receptors, 181
JEWELL D.P. *see* MAHIDA Y.R.
JOLLIFFE V.M. *see* WIENER E.
JONES D.B. *see* MOORE K.

KAGNOFF M.F. *S.E. see* KELLEHER D.
KAJDACSY-BALLA A. *see* BAGASRA O.
KAJIKAWA T. *see* BABA T.
KANEKO M. *see* TAMATANI T.
KASHAN A. *see* KOCH F.
KASHIWAMURA S.-I. SADAKANE Y., KIKUTANI H., KISHIMOTO T. & KIMOTO M. Quantitative analysis of integrated E^d_α gene expression in C57BL/6 transgenic mice, 589
KATOH Y. *see* MURAKAMI S.
KAY A.B. *see* MAESTRELLI P.
KAY A.B. *see* TSAI J.-J.
KAYE P.M., PATEL N.K. & BLACKWELL J.M. Acquisition of cell-mediated immunity to *Leishmania*. II. *Lsh* gene regulation of accessory cell function, 17
KAZATCHKINE M.D. *see* FISCHER E.

KELLEHER D., PANDOL S.J. & KAGNOFF M.F. Phorbol myristate acetate induces IL-2 secretion by HUT 78 cells by a mechanism independent of protein kinase *C* translocation, 351
KIKUTANI H. *see* KASHIWAMURA S.-I.
KIMOTO M. *see* KASHIWAMURA S.-I.
KING S.L. An assessment of phosphoinositide hydrolysis in antigenic signal transduction in lymphocytes, 1
KISHIMOTO T. *see* KASHIWAMURA S.-I.
KITAS G.D. *see* SALMON M.
KNIGHT R.A. *see* WILLIAMSON S.A.
KNÖLLER I. *see* BUJANOWSKI-WEBER J.
KNÖLLER M. *see* BROM J.
KOCH F., KASHAN A. & THIELE H.-G. The rat T-cell differentiation marker RT6.1 is more polymorphic than its alloantigenic counterpart RT6.2, 259
KÖLLER M. *see* BROM J.
KONGSHAVN P.A.L. *see* ANTHONY L.S.D.
KÖNIG W. *see* BROM J.
KÖNIG W. *see* BUJANOWSKI-WEBER J.
KÖNIG W. *see* SCHÖNFELD W.
KOTZ K.W. *see* PAUL J.W.
KRAAL G., SHIAMATEY-KOOLMA R., HOFFER M., BAKER D. & SCHEPER R. Histochemical identification of guinea-pig macrophages by monoclonal antibody MR-1, 523
KUMPEL B.M. *see* WIENER E.
KUROIWA A., IGISU K., YANO T., OKADA N. & OKADA H. Fibronectin enhances respiratory burst of phagocytes stimulated by zymosan and immune complexes, 177

LAFONTAINE M. *see* LANDRY D.
LAMB J.R. *see* LARCHE M.
LAMB J.R. *see* MAESTRELLI P.
LAMBERT P.-H. *see* GRAU G.E.
LAMBERTUCCI J.R. *see* DOENHOFF M.J.
LAMMAS D.A. *see* MILLER H.R.P.
LANDESBERG R., FALLON M. & INSEL R. Alteration in helper-inducer and suppressor-inducer T-cell subsets in human neonatal blood, 323
LANDRY D., LAFONTAINE M., COSSETTE M., BARTHÉLÉMY H., CHARTRAND C., MONTPLAISIR S. & PELLETIER M. Human thymic dendritic cells. Characterization, isolation and functional assays, 135
LANGFORD C.J. *see* LEW A.M.
LARCHE M., LAMB J.R., O'HEHIR R.E., IMAMI-SHITA N., ZANDERS E.D., QUINT D.E., MOQBEL R. & RITTER M.A. Functional evidence for a monoclonal antibody that binds to the human IL-4 receptor, 617
LARSSON E. *see* HOLMDAHL R.
LAU Y.L. *see* CALLARD R.E.
LAZZARO D. *see* HABETSWALLNER D.
LIGHTMAN S.L. *see* WILLIAMSON S.A.
LINARES-CRUZ L.G. *see* CHASSOUX D.M.
LEE S.-I. *see* ERNST P.B.
LEW A.M., ANDERS R.F., EDWARDS S.J. & LANGFORD C.J. Comparison of antibody avidity and titre elicited by peptide as a protein conjugate or as expressed in vaccinia, 311
LEWIS G.P. *see* WATSON M.L.
LOWMAN M.A. *see* PESCOVITZ M.D.
LUCISANO Y.M. & MANTOVANI B. The role of complement in the stimulation of lysosomal enzyme release by polymorphonuclear leucocytes induced by immune complexes of IgG and of IgM, 171

MCBRIDE B.W., MCGILL J.I., SMITH J.L. MHC class I and II antigen expression in normal human corneas and in corneas from cases of herpetic keratitis, 583
MCCLURE S., DUDLER L., THORPE D. & HEIN W.R. Analysis of cell division among subpopulations of lymphoid cells in sheep. I. Thymocytes, 393
MCCLURE S., DUDLER L., THORPE D. & HEIN W.R. Analysis of cell division among subpopulations of lymphoid cells in sheep. II. Peripheral lymphocytes, 401
MCCULLOUGH K.C., PARKINSON D. & CROWTHER J.R. Opsonization-enhanced phagocytosis of foot-and-mouth disease virus, 187
MCGILL J.I. *see* MCBRIDE B.W.
MCGREGOR D.D. *see* APPLETON J.A.
MACKAY C.R., MADDOX J.R., WIJFFELS G.L., MACKAY I.R. & WALKER I.D. Characterization of a 95,000 molecule on sheep leucocytes homologous to murine Pgp-1 and human CD44, 93
MACKAY I.R. *see* MACKAY C.R.
MACKELLAR A. *see* HAIG D.M.
MACKELLAR A. *see* MILLER H.R.P.
MCKENZIE J.L. *see* DAVIS A.L.
MACKENZIE J.S. *see* BILYK N.
MCMENAMIN C. *see* HAIG D. MCK.
MADDOX J.F. *see* MACKAY C.R.
MAEBA J. *see* ERNST P.B.
MAESTRELLI P., O'HEHIR R.E., LAMB J.R., TSAI J.-J., CROMWELL O. & KAY A.B. Antigen-induced neutrophil chemotactic factor from cloned human T lymphocytes, 605
MAESTRELLI P. *see* TSAI J.-J.
MAHIDA Y.R., WU K.C. & JEWELL D.P. Characterization of antigen-presenting activity of intestinal mononuclear cells isolated from normal and inflammatory bowel-disease colon and ileum, 543
MANTOVANI B. *see* LUCISANO Y.M.
MANTOVANI P. *see* PIRELLI A.
MARKER O. *see* RANDRUP THOMSEN A.
MASON D.W. & SIMMONDS S.J. The autonomy of $CD8^+$ T cells *in vitro* and *in vivo*, 249
MASON P.D., WEETMAN A.P., SISSONS J.G.P. & BORYSIEWICZ L.K. Suppressive role of NK cells in pokeweed mitogen-induced immunoglobulin synthesis: effect of depletion/enrichment of Leu $11b^+$ cells, 113
MASUMOTO K. *see* BABA T.
MATANOVIĆ D. *see* ČOLIĆ M.
MATSUMOTO Y. & FUJIWARA M. Adoptively transferred experimental allergic encephalomyelitis in chimeric rats: identification of transferred cells in the lesions of the central nervous system, 23
MAUDSLEY D.J. *see* ANTHONY L.S.D.
MEIJER-PAAPE M.E. *see* MILTENBURG A.M.M.
MELAMED M.D. *see* WIENER E.
MILLER H.R.P., HUNTLEY J.F., NEWLANDS G.F.J., MACKELLAR A., LAMMAS D.A. & WAKELIN D. Granule proteinases define mast cell heterogeneity in the serosa and the gastrointestinal mucosa of the mouse, 559
MILLS K.H.G. Inhibitory effects of monoclonal antibodies to a synthetic peptide of influenza haemagglutinin on the processing and presentation of viral antigens to class II-restricted T-cell clones, 365
MILLSUM J. *see* GORDON J.
MILTERBURG A.M.M., MEIJER-PAAPE M.E., DAHA M.R. & PAUL L.C. Short-term lymphokine stimulation of human peripheral blood mononuclear cells generates cytolytic activity against endothelial cells: involvement of natural killer cells, 107
MIRZA I.H. & WILKIN T.J. Antigenicity of the carboxyl terminus of insulin: isolation of human insulin-specific monoclonal antibodies, 43
MITSUI M. *see* BABA T.
MITSUYAMA M., *see* HANDA T.
MODHA J. *see* DOENHOFF M.J.
MOLLNES T.E. *see* HALSTENSEN T.S.
MONTESORO E. *see* HABETSWALLNER D.
MONTPLAISIR S. *see* LANDRY D.
MOORE K., WALTERS M.T., JONES D.B., GARVEY E., HARVEY J., CAWLEY M.I.D. & SMITH J.L. An immunohistological study of $CD4^+$ lymphocyte subsets within inflammatory lesions with special reference to rheumatoid arthritis and inflammatory bowel disease, 457
MOORE M. *see* CHRISTMAS S.E.
MOORE P.B. *see* MORSE S.S.
MOQBEL R. *see* LARCHE M.
MOQBEL R. *see* TSAI J.-J.
MORSE S.S. & MOORE P.B. Expression of 67,000 MW calcimedin and its binding protein in resident and thioglycolate-elicited macrophages, 537
MOYNES B.L. *see* PERNEGGER G.
MUIR H. *see* ABRAHAM D.
MURAKAMI S., ONO S., HARADA N., HARA Y., KATOH Y., DOBASHI K., TAKATSU K. & HAMAOKA T. T-cell-derived factor B151-TRF1/IL-5 activates blastoid cells among unprimed B cells to induce a polyclonal differentiation into immunoglobulin M-secreting cells, 221
MURAMORI K. *see* HANDA T.

NAKANO K. *see* OH C.

NAKASHIMA I. *see* OH C.
NASHAR T.O., STOKES C.R., CRIPPS P.J. & BOURNE F.J. The humoral immune response of mice to intra-mammary immunization with ovalbumin, 319
NEWLANDS G.F.J. *see* MILLER H.R.P.
NISHIDA S. *see* BABA T.
NOMOTO K. *see* HANDA T.
NORTH R.J. *see* AWWAD M.

OH C. & NAKANO K. Inhibition by glucocorticoids of mitogen-dependent histamine biosynthesis caused by histidine decarboxylase in cultured mouse spleen cells and peritoneal adherent cells, 433
OH C., SUZUKI S., NAKASHIMA I., YAMASHITA K. & NAKANO K. Histamine synthesis by non-mast cells through mitogen-dependent induction of histidine decarboxylase, 143
O'HEHIR R.E. *see* LARCHE M.
O'HEHIR R.E. *see* MAESTRELLI P.
OKADA H. *see* KUROIWA A.
OKADA N. *see* KUROIWA A.
OLSEN I. *see* ABRAHAM D.
ONO S. *see* MURAKAMI S.
ONOZAKI K. *see* TAMATANI T.
O'REILLEY L.A. *see* BOLTON E.M.
OUAISSI M.A. *see* FISCHER E.

PANDOL S.J. *see* KELLEHER D.
PAPADIMITRIOU J.M. *see* BILYK N.
PARASKEVAS F. *see* ERNST P.B.
PARKINSON D. *see* MCCULLOUGH K.C.
PATEL N.K. *see* KAYE P.M.
PATTERSON R. *see* PRUZANSKY J.J.
PAUL J.W., KOTZ K.W. & ROCHE J.K. Sensitization to epithelial antigens in chronic mucosal inflammatory disease: immunochemical similarity of macromolecules in human colonic epithelium with murine intestinal epithelial cell-associated components (ECAC), 551
PAUL L.C. *see* MILTENBURG A.M.M.
PELLETIER M. *see* LANDRY D.
PELOSI E. *see* HABETSWALLNER D.
PERNEGGER G., SCHULZ T.F., HOSP M., MYONES B.L., PETZER A.L., EIGENTLER A., BÖCK G., WICK G. & DIERICH M.P. Cell cycle control of a Burkitt lymphoma cell line: responsiveness to growth signals engaging the C3D/EBV receptor, 237
PESCHLE C. *see* HABETSWALLNER D.
PESCOVITZ M.D., LOWMAN M.A. & SACHS D.H. Expression of T-cell associated antigens by porcine natural killer cells, 267
PETZER A.L. *see* PERNEGGER G.
PFEIL T. *see* BUJANOWSKI-WEBER J.
PIGUET P.-F. *see* GRAU G.E.
PIRELLI A., ALLAVENA P. & MANTOVANI A. Activated adherent large granular lymphocytes/natural killer (LGL/NK) cells change their migratory behaviour, 651
PISETSKY D.S. *see* SHORES E.W.
PRUZANSKY J.J. & PATTERSON R. Desensitization of human basophils with suboptimal concentrations of agonist. Evidence for reversible and irreversible desensitization, 443

QUINT D.E. *see* LARCHE M.

RABINOWITZ R., HADAR R. & SCHLESINGER M. Idiotype regulation of thymus autoantibodies, 635
RADL J. *see* VAN DEN AKKER T.W.
RANDRUP THOMSEN A. & MARKER O. The complementary roles of cellular and humoral immunity in resistance to re-infection with LCM virus, 9
REDMAN C.W.G. *see* STARKEY P.M.
REDMOND J. *see* HAIG D. MCK.
REES P.H., HILLIER K. & CHURCH M.K. The secretory characteristics of mast cells isolated from the human large intestinal mucosa and muscle, 437
RITTER M.A. *see* LARCHE M.
ROCHE J.K. *see* PAUL J.W.
ROSEN H. *see* COOPER A.
ROUABHIA M., GHANMI Z. & DESCHAUX P.A. Interaction between luteotrophic hormone (LH) and thymosin on natural killer cell activity in BALB/c mice, 125

SAAG M.S. *see* BOST K.L.
SACHS D.H. *see* PESCOVITZ M.D.
SADAKANE Y. *see* KASHIWAMURA S.-I.
SALMON M., KITAS G.D., HILL GASTON J.S. & BACON P.A. Interleukin-2 production and response by helper T-cell subsets in man, 81
SAMOGGIA P. *see* HABETSWALLNER D.
SARGENT I.L. *see* STARKEY P.M.
SCHAIN L.R. *see* APPLETON J.A.
SCHEPER R. *see* KRAAL G.
SCHLESINGER M. *see* RABINOWITZ R.
SCHLÜTER B. *see* SCHÖNFELD W.
SCHÖNFELD W., SCHLÜTER B., HILGER R. & KÖNIG W. Leukotriene generation and metabolism in isolated human lung macrophages, 529
SCHULZ T.F. *see* PERNEGGER G.
SCOTT H.C.F. *see* WIENER E.
SECOMBES C.J. *see* GRAHAM S.
SHAHUM E. & THÉRIEN H.-M. Immunopotentiation of the humoral response by liposomes: encapsulation versus covalent linkage, 315
SHARMA B. Inhibition of the generation of cytotoxic lymphocytes by potassium ion channel blockers, 101
SHAW G.M. *see* BOST K.L.
SHIAMATEY-KOOLMA R. *see* KRAAL G.
SHIELDS J.G. *see* CALLARD R.E.
SHORES E.W., PISETSKY D.S., GRUDIER J., EISENBERG R.A. & COHEN P.L. Immunization with the Sm nuclear antigen induces anti-Sm antibodies in normal and MRL mice, 473
SIEGEL J.P. *see* HOROHOV D.W.
SIMMONDS S.J. *see* MASON D.W.
SISSONS J.G.P. *see* MASON P.D.
SMITH J.L. *see* MCBRIDE B.W.
SMITH J.L. *see* MOORE K.
SMITH S.H. *see* CALLARD R.E.
SMITH W.D. *see* HAIG D.M.
SNIPPE H. *see* ZIGTERMAN G.J.W.J.
STANISLAWSKI M. *see* CHASSOUX D.M.
STANWORTH D.R. *see* HASTINGS G.Z.
STARKEY P.M., SARGENT I.L. & REDMAN C.W.C. Cell populations in human early pregnancy decidua: characterization and isolation of large granular lymphocytes by flow cytometry, 129
STEPHEN M. *see* WOO J.
STOKS N.I. *see* HOROHOV D.W.
STOK W. *see* VAN DER HEIJDEN P.J.
STOKES C.R. *see* NASHAR T.O.
SUZUKI S. *see* OH C.

TAFFS R.E. & EWALD S.J. Effect of Ly 5 allotype on *in vitro* immune responses, 629
TAKATSU K. *see* MURAKAMI S.
TAMATANI T., TSUNODA H., IWASAKI H., KANEKO M., HASHIMOTO T. & ONOZAKI K. Existence of both IL-1α and β in normal human amniotic fluid: unique high molecular weight form of IL-1, 337
TESTA U. *see* HABETSWALLNER D.
THÉRIEN H.-M. *see* SHAHUM E.
THIELE H.-G. *see* KOCH F.
THOMPSON K.M. *see* WIENER E.
THOMSON A.W. *see* WOO J.
THORPE D. *see* MCCLURE S.
TSAI J.-J., MAESTRELLI P., CROMWELL O., MOQBEL R., FITZHARRIS P. & KAY A.B. A T-lymphocyte-derived factor that enhances IgG-dependent release of ieukotriene B_4 (LTB_4) from human neutrophils, 449
TSAI J.-J. *see* MAESTRELLI P.
TSUNODA H. *see* TAMATANI T.

VAN DEN AKKER T.W., DE GLOPPER-VAN DER VEER E., RADL J. & BENNER R. The influence of genetic factors associated with the immunoglobulin heavy chain locus on the development of benign monoclonal gammapathy in ageing Igh-congenic mice, 31
VAN DER HEIJDEN P.J., BIANCHI A.T.J., STOK W. & BAKHOUT B.A. Background (spontaneous) immunoglobulin production in the murine small intestine as a function of age, 243

VAN REES E.P., VOORBIJ H.A.M. & DIJKSTRA C.D. Neonatal development of lymphoid organs and specific immune responses *in situ* in diabetes-prone BB rats, 465
VELGE P. *see* FISCHER E.
VESIN C. *see* GRAU G.E.
VOORBIJ H.A.M. *see* VAN REES E.P.

WAKELIN D. *see* MILLER H.R.P.
WALKER I.D. *see* MACKAY C.R.
WALTERS M.T. *see* MOORE K.
WATSON M.L., LEWIS G.P. & WESTWICK J. Neutrophil stimulation by recombinant cytokines and a factor produced by IL-1-treated human synovial cell cultures, 567
WEETMAN A.P. *see* MASON P.D.
WEIGENT D.A. *see* BOST K.L.
WESTWICK J. *see* WATSON M.L.
WICK G. *see* PERNEGGER G.
WIENER E., JOLLIFFE V.M., SCOTT H.C.F., KUMPEL B.M., THOMPSON K.M., MELAMED M.D. & HUGHES-JONES N.C. Differences between the activities of human monoclonal IgG1 and IgG3 anti-D antibodies to the Rh blood group system in their abilities to mediate effector functions of monocytes, 159
WIJFFELS G.L. *see* MACKAY C.R.
WILKIN J.T. *see* MIRZA I.H.
WILLERS J.M.N. *see* ZIGTERMAN G.J.W.J.
WILLIAMSON S.A., KNIGHT R.A., LIGHTMAN S.L. & HOBBS J.R. Effects of beta endorphin on specific immune responses in man, 47
WOO J., STEPHEN M. & THOMSON A.W. Spleen lymphocyte populations and expression of activation markers in rats treated with the potent new immunosuppressive agent FK-506, 153
WU K.C. *see* MAHIDA Y.R.

XIAONING X. *see* BECKMAN I.

YAMASHITA K. *see* OH C.
YANO T. *see* KUROIWA A.
YOUNG I.C. *see* HAIG D. MCK.
YSSEL H. *see* ARVIEUX J.

ZANDERS E.D. *see* LARCHE M.
ZIGTERMAN G.J.W.J., JANSZE M., SNIPPE H. & WILLERS J.M.N. Stimulation of liposome-induced humoral immune responses by non-ionic block polymer surfactants in Xid mice, 37



Subject Index

Adhesion:
of lymphocytes *in vitro*, 385
Alternative complement pathway damage of *T. cruzi*:
escape from, 299
Anti-D antibodies, monoclonal IgG1 and IgG3:
differences in mediation of effector function of monocytes, 159
Antigen presentation:
by intestinal mononuclear cells, 543
Antigen processing and presentation:
inhibitions by anti-peptide antibodies, 365
Antigen signal transduction in lymphocytes:
phosphoinositide hydrolysis, 1
Avidity and titre of anti-peptide antibodies, 311

Basophils, human:
reversible and irreversible desensitization, 443
B-cell recruitment, 73
B lymphocytes, human:
mitogenic stimulation, 493
Benign monoclonal gammapathy:
genetic factors, 31
Beta endorphin:
effects on human-specific immune response, 47

C3b, C4b, antigen-bound:
effect on T-cell recombination, 229
C3D/EBV receptor, and cell cycle control of Burkitt lymphoma cell line, 237
Calcimedine:
and its binding protein in macrophages, 537
CD23, monoclonal antibodies to:
characterization of, 213
CD23, shed:
effects on B95-8 cell line, 379
CD4 lymphocyte subsets:
immunohistological study, 457
$CD8^+$ T cells:
autonomy *in vitro* and *in vivo*, 249
Cell-mediated immunity:
inhibition by antibody to T-helper factors, 273
Cell-mediated immunity to *Leishmania*:
Lsh gene regulation of accessory cell function, 17
Chemotactic factor, for neutrophils:
T-cell derived, 605
Complement:
role in lysosomal enzyme release form PMN, 171
CTL differentiation:
requirements for lymphokine-mediated signal, 119
Cyclophosphamide-facilitated immunotherapy, 87
Cytokinetic stimulation of neutrophil locomotion, 567
Cytokine studies of sheep peripheral lymphocytes, 401
Cytotoxic lymphocyte induction:
role of K^+ channels, 101

Decidua, early pregnancy:
large granular lymphocytes, 129
Dendritic cells, follicular:
terminal complement complex on, 193
Dendritic cells, human, thymic:
characterization, isolation and functional assays, 135
Diabetes-prone BB rats:
neonatal development of lymphoid organs and *in situ* immune responses, 465

DNA–anti-DNA reaction:
inhibition by low molecular weight anionic compounds, 479

E^d_α gene expression in transgenic mice, 589
Endothelial cell–NK cell interactions:
role of lymphokines, 107
Epithelial antigens:
shared determinants, 551
Experimental allergic encephalomyelitis:
in chimeric rats, 23

Fibronectin:
enhancement of respiratory burst of stimulated phagocytes, 177
FK-506, and lymphocyte subsets, 153
Foot-and-mouth disease virus:
opsonization-enhanced phagocytosis, 187

Graft-versus-host reaction, in rat kidney:
cellular basis of, 285

Helper T cells, human:
IL-2 production and response, 81
Histamine synthesis:
by non-mast cells, 143
inhibition by glucocorticoids, 433
HIV-infected individuals:
possess anti-IL-2 antibodies, 611
HLA-DR-positive leucocytes:
in human skin, 573

Idiotype regulation:
of Thy-1 autoantibodies, 635
IgE-binding factors:
detection and characterization, 53
IgE synthetic peptide, antibody to:
detects thermally induced changes in IgE, 149
IL-1 in human amniotic fluid, 337
IL-2 and IL-2 receptor expression:
autocrine regulation, 343
IL-2, antibodies to:
in HIV-infected individuals, 611
IL-2 production and response by helper T cells, 81
IL-2 secretion:
protein kinase *C* independent, 351
IL-3, rat:
stimulation of mucosal mast cells, 205
IL-4, receptor, human:
monoclonal antibody to, 617
ILs 4 and 6:
role in activation and proliferation of human T lymphocytes, 357
Immunoconjugates:
therapeutic strategies, 329
Immunoglobulin A, in chicken lacrimal fluid:
dependence on the Harderian gland, 67
Immunoglobulin Fc receptors:
on *Xenopus* splenocytes, 641
Immunoglobulin production, spontaneous:
in murine small intestine, 243
Intestine mononuclear cells:
antigen presentation by, 543
Intra-mammary immunization:
humoral immune response to, 319

Insulin:
antigenicity of, 43
Isotype selection:
by T-cell circuits, 59

K-cell-mediated cytotoxicity:
induced with monoclonal antibodies, 623

Large granular lymphocytes:
in early pregnancy decidua, 129
Large granular lymphocytes/natural killer cells:
activated, migration, 651
LCM virus:
roles of cellular and humoral immunity in resistance to re-infection, 9
Leishmania promastigotes:
Inhibition of binding by monoclonal anti-CR3 antibodies, 511
Leukotriene:
generation and metabolism in human lung macrophages, 529
Leukotriene B_4, IgG-dependent release:
enhanced by T-cell factor, 449
Liposome-induced responses:
enhancement by non-ionic block polymers, 37
Liposomes:
immunopotentiation of humoral response, 315
Locomotion, neutrophil:
stimulated by cytokines, 567
Ly 5 allotype:
effect on *in vitro* immune responses, 629

Macrophage-activating factor:
from rainbow trout, 293
Macrophage agglutinin (erythrocyte receptor):
regulation of, 515
Macrophage chemotactic factor and IFN-γ:
in listerial immunity, 427
Macrophage function:
in chronic experimental alcoholism, 405
in diabetic rats, 411
Macrophage-mediated lysis:
resistance induced by protein kinase *C* ligands, 165
Macrophages:
in airways and lung wall of SPF mice, 417
functional studies, 417
Macrophages, guinea-pig:
histochemical identification, 523
Malaria, experimental:
immunopathology of thrombocytopenia, 501
Mast cell, bone marrow-derived:
ovine, 199
Mast cell heterogeneity
murine, 559
Mast cells:
intestinal, human, 437
MHC class I and II antigen:
in human corneas, 583
Mites and human allergy, 497
Monoclonal antibodies:
therapeutic strategies, 329
Monoclonal anti-peptide antibodies:
inhibition of processing and presentation of viral antigens to T-cell clones, 365
Monocyte, human:
phagocytosis of *Candida albicans*, 181

NK cell activity:
interaction between luteotrophic hormone and thymosin on, 125
NK cells:
suppressive role in pokeweed mitogen-induced immunoglobulin synthesis, 113
NK cells, porcine:
expression of T-cell associated antigen, 267
Neutrophil chemotactic factor:
T-cell derived, 605
Non-ionic block polymer:
enhancement of liposome-induced responses, 37
Non-lymphoid cells, rat thymus:
immunohistochemical characterization, 277

OKT3 mitogenesis:
blocking by anti-HLA class I antibody, 373

Polyclonal differentiation of unprimed B cells by T-cell-derived factor, 221

Schistosoma mansoni:
chemotherapy enhanced by antibodies to a parasite esterase, 507
Sheep leucocyte 95,000 MW homologue of murine Pgp-1 and human CD44, 93
Sheep thymocytes:
cytokinetics, 393
Sm nuclear antigen, immunization with:
induces anti-Sm antibodies in normal and MRL mice, 473

T-cell differentiation marker RT6:
polymorphism, 259
T-cell associated antigens:
expression by porcine NK cells, 267
T-cell receptor gene rearrangements in $CD3^+4^-8^-$ clones, 597
T-cell subsets:
in human neonatal blood, 323
T. cruzi:
escape form alternative complement pathway damage, 299
Terminal complement complex:
on follicular dendritic cells, 193
Thrombocytopenia, immunopathology of:
in experimental malaria, 501
Thy-1 autoantibodies:
idiotype regulation of, 635
Transgenic mice:
integrated E^d_β gene expression, 589
Trichinella spiralis, expulsion:
mediated by monoclonal antibodies, 487
Tumour necrosis factor:
modulates the affinity of the human neutrophil leukotriene B_4 receptor, 647
Type II collagen autoimmunity:
immunogenetics of, 305